```
FILE 'MEDLINE, EMBASE, BIOSIS' ENTERED AT 13:46:25 ON 17 SEP 2004
       4809 S "SITE-SPECIFIC" (2A) RECOMBIN?
L2
          13088 S LOX OR ATT OR LOXP
L3
         303417 S PROMOTER
         24193 S (ANTIBIOTIC OR KANAMYCIN OR AMPICILLIN OR CHLORAMPHENICOL) (S
         226906 S "IMMEDITELY ADJACENT" OR ADJACENT
           2134 S HARTELY?/AU OR BRASCH?/AU
L6
L7
              2 S L6 AND L2
              1 DUP REM L7 (1 DUPLICATE REMOVED)
L8
           2164 S L4 (P) "ANTIBIOTIC RESISTANCE"
L9
            47 S "BACTERIAL SELECTION"
L10
             8 S L1 AND L2 AND L3 AND L5
L11
L12
              4 DUP REM L11 (4 DUPLICATES REMOVED)
              2 S L12 NOT PY>=1997
L13
            759 S L1 (P) L2
L14
            488 S L1 (P) L3
L15
            28 S L14 (P) L4
L16
            42 S L15 (P) L4
L17
L18
            759 S L2 AND L14
L19
            135 S L2 AND L15
L20
            13 S L2 AND L17
L21
            13 S L19 AND L20
L22
            6 DUP REM L21 (7 DUPLICATES REMOVED)
L23
            0 S L22 NOT PY>=1997
L24
            13 S L18 AND L20
L25
            134 S L18 AND L19
L26
            50 S L25 NOT PY>=1997
L27
            22 DUP REM L26 (28 DUPLICATES REMOVED)
```

ANSWER 1 OF 1

MEDLINE on STN

DUPLICATE 1

ACCESSION NUMBER:

89053910

MEDLINE

DOCUMENT NUMBER:

PubMed ID: 3056916

TITLE:

Analysis of recombination occurring at SLP1 att

sites.

AUTHOR:

Lee S C; Omer C A; Brasch M A; Cohen S N

CORPORATE SOURCE:

Department of Genetics, Stanford University School of

Medicine, California 94305.

CONTRACT NUMBER:

5T32CA09302-11 (NCI)

SOURCE:

Journal of bacteriology, (1988 Dec) 170 (12) 5806-13.

Journal code: 2985120R. ISSN: 0021-9193.

PUB. COUNTRY:

United States

DOCUMENT TYPE:

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE:

English

FILE SEGMENT:

Priority Journals

ENTRY MONTH:

198901

ENTRY DATE:

= >

Entered STN: 19900308

Last Updated on STN: 19970203

Entered Medline: 19890105

SLP1int is a conjugative Streptomyces coelicolor genetic element that can AB transfer to Streptomyces lividans and integrate site specifically into the genome of the new bacterial host. Recombination of SLP1 previously has been shown to occur within nearly identical 112-base-pair att sequences on the plasmid and host chromosome. We report here that both integrative recombination and intermolecular transfer of SLPlint require no more than a 48-base-pair segment of the att sequence and that SLP1 transfer occurs by a conservative rather than a replicative mechanism. The functions responsible for the excision of the element as a discrete DNA segment are induced during the conjugal transfer of SLP1.

ANSWER 1 OF 2

MEDLINE on STN

ACCESSION NUMBER: DOCUMENT NUMBER:

96174442 MEDLINE PubMed ID: 8600570

TITLE:

High frequency recombination between loxP sites

in human chromosomes mediated by an adenovirus vector

expressing Cre recombinase.

AUTHOR:

Wang P; Anton M; Graham F L; Bacchetti S

CORPORATE SOURCE:

Department of Pathology, McMaster University, Hamilton,

Ontario, Canada.

SOURCE:

Somatic cell and molecular genetics, (1995 Nov) 21 (6)

429-41.

Journal code: 8403568. ISSN: 0740-7750.

PUB. COUNTRY:

United States

DOCUMENT TYPE:

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE:

English

FILE SEGMENT:

Priority Journals

ENTRY MONTH:

199604

ENTRY DATE:

Entered STN: 19960513

Last Updated on STN: 19960513 Entered Medline: 19960426

AB An adenovirus vector (AdCrel) expressing Cre recombinase has been used to induce recombination between **loxP** sites in human chromosomes.

G418 resistant cells with one loxP site, generated by

transfection with a plasmid containing loxp between the SV40 promoter and the G418 resistance (neo) gene, were infected with

AdCrel and transfected with a plasmid containing loxP adjacent to a promoterless hisD gene. This resulted in

integration of hisD downstream of the SV40 promoter with gain of histidinol and loss of G418 resistance. Since AdCrel is non-replicating and Cre expression transient, histidinol resistant cells containing the hisD gene flanked by loxP sites were stable. Reinfection of these cells with AdCrel induced excision of hisD in over 90% of infected cells. This high efficiency of site-specific

recombination suggests that AdCrel may be exploited for temporal and tissue-specific regulation of gene expression and for chromosome engineering in vitro and in animals.

L13 ANSWER 2 OF 2 ACCESSION NUMBER:

MEDLINE on STN 91260671 MEDLINE PubMed ID: 2046656

DOCUMENT NUMBER: TITLE:

Site-specific recombination

in Escherichia coli between the **att** sites of plasmid pSE211 from Saccharopolyspora erythraea.

AUTHOR:

Katz L; Brown D P; Donadio S

CORPORATE SOURCE:

Corporate Molecular Biology, Abbott Laboratories, IL 60064.

SOURCE:

Molecular & general genetics : MGG, (1991 May) 227 (1)

155-9.

Journal code: 0125036. ISSN: 0026-8925. GERMANY: Germany, Federal Republic of

PUB. COUNTRY: DOCUMENT TYPE:

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE:

English

FILE SEGMENT:

Priority Journals

ENTRY MONTH:

199107

ENTRY DATE:

Entered STN: 19910802

Last Updated on STN: 19970203 Entered Medline: 19910712

AB pSE211 from Saccharopolyspora erythraea integrates site-specifically into the chromosome through conservative recombination between attP and attB, the plasmid and chromosomal attachment sites. Integration depends on the presence of int, an open reading frame (ORF) that lies adjacent to attP and encodes the putative integrase. Immediately upstream of int lies xis (formerly called orf2) which encodes a basic protein that is thought to exhibit DNA binding. xis and int were cloned in various

combinations in pUC18 and expressed constitutively in Escherichia coli from the lac **promoter**. attP and attB were cloned in Streptomyces or E. coli plasmids containing kanamycin resistance (KmR) or chloramphenicol resistance (CmR) markers. Stable KmR CmR cointegrates formed by attP x attB or attP x attP recombination (integration) were obtained in E. coli hosts that expressed int. Co-integrates were not found in hosts expressing int + xis. Excision (intraplasmid **att** site recombination) was examined by constructing plasmids carrying attL and attR or two attP sites separating CmR from KmR and by following segregation of the markers in various hosts. Both attL x attR and attP x attP excision depended on both xis and int in E. coli. pSE211 **att** site integration and excision were not affected by a deletion in himA, the gene encoding a subunit of integration host factor.

=>

. * PALM INTRANET

Day: Friday
Date: 9/17/2004
Time: 13:57:10

Inventor Name Search

Enter the first few letters of the Inventor's Last Name. Additionally, enter the first few letters of the Inventor's First name.

| Last Name | First Name |
|-----------|--------------|
| hartley | james Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Day: Friday
Date: 9/17/2004
Time: 13:57:10

Inventor Name Search

Enter the first few letters of the Inventor's Last Name. Additionally, enter the first few letters of the Inventor's First name.

| Last Name | First Name |
|-----------|----------------|
| brasch | michael Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|--------|---|--|---------------------|
| - | 2 | 5527695.pn. | USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:03 |
| _ | 17236 | chloramphenicol | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:03 |
| _ | 3206 | lox | DERWENT USPAT; US-PGPUB; | 2004/03/10 16:03 |
| _ | 109030 | promoter | EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:03 |
| _ | 12775 | "antibiotic resistance" | DERWENT USPAT; US-PGPUB; | 2004/03/10 16:03 |
| _ | 388 | lox SAME promoter | EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:03 |
| - | 4 | (lox SAME promoter) SAME "antibiotic resistance" | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:03 |
| - | 29 | lox SAME "antibiotic resistance" | DERWENT USPAT; US-PGPUB; | 2004/03/10 16:03 |
| - | 4 | 6143557.pn. or 5888732.pn. | EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:04 |
| - | 11 | chloramphenicol SAME lox | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:05 |
| _ | 4506 | "antibiotic resistance gene" | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 |
| _ | 115 | "antibiotic resistance gene" SAME chloramphenicol | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:06 |
| | 18 | ("antibiotic resistance gene" SAME chloramphenicol) AND "site specific recombination" | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:11 |
| - | 9 | | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2004/03/10 16:15 |
| - | 50 | chloramphenicol AND "bacterial selection" | DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/10 16:15 |

| | Document ID | Title |
|----|----------------------|---|
| 1 | US 20040142470 A1 | Recombinase-based system for construction of adenovirus vectors |
| 2 | US 20040023205 A1 | Method of recovering a nucleic acid encoding a proteinaceous binding domain which binds a target material |
| 3 | US 20030228280 A1 | System for production of helper dependent adenovirus vectors based on use of endonucleases |
| 4 | US 20030221221 A1 | Plants with modified growth |
| 5 | US 20030165463 A1 | Enhanced system for construction of adenovirus vectors |
| 6 | US 20030118554 A1 | Helper dependent adenovirus vectors based on integrase family site-specific recombinases |
| 7 | US 20030082559 A1 | Methods and reagents for amplification and manipulation of vector and target nucleic acid sequences |
| 8 | US 20030050258 A1 | METHODS AND COMPOSITIONS FOR GENOMIC MODIFICATION |
| 9 | US 20020168341 A1 | Enhanced system for construction of adenovirus vectors |
| 10 | US 20020146392 A1 | HELPER DEPENDENT ADENOVIRUS VECTORS BASED ON SITE-SPECIFIC RECOMBINASES |
| 11 | US 20020136708 A1 | System for production of helper dependent adenovirus vectors based on use of endonucleases |
| 12 | US 20020055172 A1 | Multiple promoter expression constructs and methods of use |
| 13 | US 6756226 B2 | Enhanced system for construction of adenovirus vectors |
| 14 | US 6632672 B2 | Methods and compositions for genomic modification |

| | Г | ocument | ID | Title |
|----|----|---------|----|---|
| 15 | US | 6559358 | В1 | Plants with modified growth |
| 16 | US | 6379943 | | High-efficiency Cre/loxp based system for construction of adenovirus vectors |
| 17 | US | 6207371 | В1 | Indexed library of cells containing genomic modifications and methods of making and utilizing the same |
| 18 | US | 6139833 | Α | Targeted gene discovery |
| 19 | US | 6020143 | A | Method for identifying substances that affect the interaction of a presenilin-1-interacting protein with a mammalian presenilin-1 protein |